For full information concerning the filling out of this form refer to Article 4 of Rules and Regulations Pertaining to Appropriation of Water

## STATE OF CALIFORNIA—STATE WATER RIGHTS BOARD

Application No. 18086 Filed April 8, 1958, at 10:51 A. M.

# APPLICATION TO APPROPRIATE UNAPPROPRIATED WATER

	<b>***</b>
of Auburn Address	County of Placer
State of California	, do hereby make application for a permit to appropriate th
ollowing described unappropriated waters of the Sta	te of California, SUBJECT TO VESTED RIGHTS:
Source, Amount, Use	and Location of Diversion Works
1. The source of the proposed appropriation is  Placer and	Give name of stream, lake, etc., if named; if upnamed state nature of source and that it is unname
	es to appropriate under this application is as follows:
	eficial use See Supplement cubic feet pe
econd, to be diverted from January 1  Beginning date	to December 31 of each year
(b) For diversion to be stored and later applied	to beneficial use See Supplement acre-fee
per annum, to be collected between Novem	
ay. Neither the amount nor the season may be increased after a	Closing date necessary. If amount under (a) is less than .025 cubic foot per second, state in gallons per pplication is filed. If underground storage is proposed a special supplemental form will be
3. The use to which the water is to be applied is	
	purposes
4. The point of diversion is to be located	See Supplement te bearing and distance or coordinate distances from section or quarter section corner
eing within the	
f Section, T., R., R.	B. & M., in the County of
5. The main conduit terminates in NW1 of N	Wil of Sec. 3, T. 13N, R. 11E, M.D. B. & M. vision of U. S. Government survey or projection thereof
Description	of Diversion Works
NOTE As and	amount grossly in excess of the estimated capacity of the diversion works.
NOIE.—An application cannot be approved for an	
6. Intake or Headworks (fill only those blank	
6. Intake or Headworks (fill only those blank	s which apply)
6. Intake or Headworks (fill only those blank  (a) Diversion will be made by pumping from some	s which apply)
6. Intake or Headworks (fill only those blank  (a) Diversion will be made by pumping from  (b) Diversion will be by gravity, the diverting	s which apply)  ump, offset well, unobstructed channel, etc.  dam being See Supplement feet in height (stream bed to
6. Intake or Headworks (fill only those blank  (a) Diversion will be made by pumping from  (b) Diversion will be by gravity, the diverting  evel of overflow); feet long on to	dam being See Supplement feet in height (stream bed to p); and constructed of
6. Intake or Headworks (fill only those blank  (a) Diversion will be made by pumping from  (b) Diversion will be by gravity, the diverting  (vel of overflow); feet long on to  (c) The storage dam will be See Supplement	dam being See Supplement feet in height (stream bed to p); and constructed of  Concrete, earth, brush, etc.  Theet in height (stream bed to spillway level);  feet
6. Intake or Headworks (fill only those blank  (a) Diversion will be made by pumping from  (b) Diversion will be by gravity, the diverting evel of overflow);  (c) The storage dam will be See Supplementary on top; have a freeboard of feet supplementary for the storage Reservoir.  See Supplementary for the storage Reservoir for See Supplementary for See Supplementary for the storage Reservoir for See Supplementar	which apply)  ump, offset well, unobstructed channel, etc.  dam being See Supplement feet in height (stream bed to op; and constructed of  Concrete, earth, brush, etc.  Detect in height (stream bed to spillway level); feet  Concrete, earth, etc.
6. Intake or Headworks (fill only those blank  (a) Diversion will be made by pumping from  (b) Diversion will be by gravity, the diverting  evel of overflow); feet long on to  (c) The storage dam will be See Supplement  ong on top; have a freeboard of  7. Storage Reservoir See Supplement	which apply)  ump, offset well, unobstructed channel, etc.  dam being See Supplement feet in height (stream bed to op; and constructed of Concrete, earth, brush, etc.  nteet in height (stream bed to spillway level); feet feet feet, and be constructed of Concrete, earth, etc.
6. Intake or Headworks (fill only those blank  (a) Diversion will be made by pumping from  (b) Diversion will be by gravity, the diverting  evel of overflow); feet long on to  (c) The storage dam will be See Supplement  ong on top; have a freeboard of form  7. Storage Reservoir See Supplement  Name  The storage reservoir will flood lands in  Indicate section	which apply)  ump, offset well, unobstructed channel, etc.  dam being See Supplement feet in height (stream bed to op; and constructed of  Concrete, earth, brush, etc.  nteet in height (stream bed to spillway level); feet  eet, and be constructed of  Concrete, earth, etc.

	s <b>k</b>	M • D • B & M	ALL A	
ro · · · · · · · · · · · · · · · · · · ·	W. TO TWE	1 ni Tavin nasire	<u> Middle Fork Ame</u>	The water will be returned to
		•		The size of the nozzle to be used is
				The nature of the works by means of v
ਮੁਧੇ:	e gnbbrewe	75	BUT NOT BOLIVE TO I	
	<b> </b>	old at wholesale	B 9d OT si bəilq	The use to which the power is to be app
Chorsepower.	1.8 ÷ [ii] × 3.0	nmanae		The maximum theoretical horsepower
		e between nazzle 21 deuft tube waret lev ISLOGUS SSS 2: 420122		The maximum amount of water to be
399}		e gnbbyement	98 si bəzilitu ə	14. Power Use. The total fall to b
	Closing date	ods bns bns	Beginning date	The irrigation season will begin about
		RE RIC COMBREGIC MACH CREW OCHES		Norn-Care should be taken that the varie
at in Perserabh II, and With				orchard acres;
:saiaeacies	.ces: sitsits	ceacı	oiA :swollot as ai ago	The segregation of acreage as to cro
-		d vzeston 1912 szazê	_	· · · · · · · · · · · · · · · · · · ·
SOLGS:				Attach supplement at top of page 3
	<u> </u>		<b></b>	
			17.	*
				٤.
				.z.
	ry.			
Source of Other Supply	eason to mossed	Use made in recent years including amount if known	Year of First Use	Mature of Right (riparian, appropriative, purchased water, etc.)
2[40.13 104.0 30 00.003	11,7	sacon tanger di open cell		to the above named lands.
tly? Yes or No.	nniol	will be made? Yes or No	derail upon map.	All joint owners should include their names as applicant (s) own the land way and show
does not permit listing of all	pace permits. If space	irrigated in each 40-acre tract, if s	see the number of acres to be	survey were projected. In the case of irrigation use sta
ns si fines of the public land	et indicate the location	ublic land survey. If area is unsurvey	ee Supplement : 40-acre subdivisions of the p	
•	_		_	-
	<b>ə</b>	eU besoqor4 to	o noitairose(	<b>1</b>
	57.6T °	T VIUL Sully I	o the proposed use or	The water will be completely applied t
· . •				Construction work will be completed
		396T T ATUL	on or before	10. Construction work will begin
		ou Schedule	Completic	
		entering described herein		
aiam bas eniovines enemots ,equ		0, 373, 99 \$	si besoqorq sarow nois	The estimated cost of the diver
	see Suppler			Nore.—If a combination of different sizes or clearly on map.  9. The estimated capacity of the
		NAME OF THE PARTY OF THE PARTY		1,000 feet; total fall from intake to ou
	Q (aaa			
19G 199J	stra :199	,, q180	Ъ <b>Б</b> Јешеυ¢""Ч". 1"	Earth, rock, timber, etc.  (b) Pipe line: Diameter See Su
				of construction
			_	teet; depth of water

(a) Canal, ditch, flume: Width on top (at water line) See Supplementeet; width at bottom

8. Conduit System (describe main conduits only)

## APPLICANT MUST NOT FILL IN BLANKS BELOW

# PERMIT No. 13857

This is to certify that the application of which the foregoing is a true and correct copy has been considered and approved by the State Water Rights Board SUBJECT TO VESTED RIGHTS and the following limitations and conditions:

- 1. The amount of water appropriated shall be limited to the amount that can be beneficially used and shall not exceed, (a) 50 cfs by direct diversion, year-round, from Duncan Creek, (b) 110 cubic feet per second by direct diversion, year-round, and 10,000 acre-feet by storage from about November 1 of each year to about July 1 of the succeeding year from Middle Fork American River at French Meadows Reservoir, (c) 155 cfs by direct diversion, year-round, and 36,000 af by storage from about November 1 of each year to about July 1 of the succeeding year from Rubicon River at Hell Hole Reservoir, (d) 15,000 af by off-stream storage from about November 1 of each year to about July 1 of the succeeding year from South Fork Long Canyon, at a maximum rate of diversion of 830 cfs to be stored at Hell Hole Reservoir, (e) 7,000 af by off-stream storage from about November 1 of each year to about July 1 of the succeeding year from North Fork Long Canyon, at a maximum rate of 830 cfs to be stored at Hell Hole Reservoir, (f) 705 cfs by direct diversion, year-round, from Middle Fork American River at Ralston Afterbay.
- 2. The maximum amount of water to be diverted to storage under this permit and permits issued pursuant to Applications 18084, 18085 and 18087 during any one season shall not exceed (a) 133,700 acre-feet at French Meadows Reservoir and (b) 208,400 acre-feet at Hell Hole Reservoir.
- 3. The maximum amount herein stated may be reduced in the license if investigation warrants.
- 4. Actual construction work shall begin on or before September 1, 1963, and shall thereafter be prosecuted with reasonable diligence, and if not so commenced and prosecuted, this permit may be revoked.
  - 5. Construction work shall be completed on or before December 1, 1967.

(00000008)

- 6. Complete application of the water to the proposed use shall be made on or before December 1, 2007.
- 7. Progress reports shall be filed promptly by permittee on forms which will be provided annually by the State Water Rights Board until license is issued.
- 8. All rights and privileges under this permit, including method of diversion, method of use, and quantity of water diverted are subject to the continuing authority of the State Water Rights Board in accordance with law and in the interest of the public welfare to prevent waste, unreasonable use, unreasonable method of use, or unreasonable method of diversion of said water.
- 9. This permit is subject to the prior rights of any county in which the water sought to be appropriated originates to the use of such water as may be necessary for the development of such county as provided for in Section 10505 of the Water Code.
- 10. To the extent that their provisions relate to matters within the jurisdiction of the State Water Rights Board, this permit is subject to stipulations and agreements between the permittee and the California Department of Fish and Game, dated July 20, 1962, San Juan Suburban Water District et al., dated May 21, 1962, Sacramento Municipal Utility District, dated May 21, 1962 and the City of Sacramento, dated May 21, 1962, which were filed for record at the hearing on Applications 18084, 18085, 18086, and 18087 as Placer County Water Agency's Exhibits 19, 20, 21, and 22, respectively.
- 11. This permit does not authorize collection of water to storage during the period outside of the collection seasons specified in Paragraph 1, to offset evaporation or seepage losses or for any other purpose.

- 12. Permittee shall allow representatives of the State Water Rights Board and other parties as may be authorized from time to time by said Board reasonable access to project works to determine compliance with the terms of this permit.
- 13. In accordance with requirements of Water Code Section 1393, permittee shall clear the site of each of the proposed reservoirs of all structures, trees, and other vegetation which would interfere with the use of the reservoir for water storage and recreational purposes.
- 14. This permit is subject to compliance by permittee with Section 10504.5(4) the Water Code.
- 15. Separate applications for the approval of plans and specifications for construction of the dams described in this approved water right application shall be filed with and approved by the Department of Water Resources prior to commencement of construction of the dams.

This permit is issued and permittee takes it subject to the following provisions of the Water Code:

Section 1390. A permit shall be effective for such time as the water actually appropriated under it is used for a useful and beneficial purpose in conformity with this division (of the Water Code), but no longer.

Section 1391. Every permit shall include the enumeration of conditions therein which in substance shall include all of the provisions of this article and the statement that any appropriator of water to whom a permit is issued takes it subject to the conditions therein expressed.

Section 1392. Every permittee, if he accepts a permit, does so under the conditions precedent that no value whatsoever in excess of the actual amount paid to the State therefor shall at any time be assigned to or claimed for any permit granted or issued under the provisions of this division (of the Water Code), or for any rights granted or acquired under the provisions of this division (of the Every code), in respect to the regulation by any competent public authority of the services or the price of the services to be rendered by any permittee or by the holder of any rights granted or acquired under the provisions of this division (of the Water Code) or in respect to any valuation for purposes of sale to or purchase, whether through condemnation proceedings or otherwise, by the State or any city, city and county, municipal water district, irrigation district, lighting district, or any political subdivision of the State, of the rights and property of any permittee, or the possessor of any rights granted, issued, or acquired under the provisions of this division (of the Water Code).

Dated:

JAN 1 0 1963

STATE WATER RIGHTS BOARD

L. K. Hill

L. K. Hill

Executive Officer

H

75334 10-62 500 ① SPO

# DO DI TANS SPACE ATLACHIA TRA THERES.

15. Municipal Use. This application is made	e for the purpose of serving Name city or cities, town or towns. Urban areas only
	Name city or cities, town or towns. Urban areas only  having a present population of
	그 그는 그 그는 그는 그를 가게 되었다. 소양 뒤 가는 그는 그들은 그들은 그들은 그들은 그를 가지 않는 것이다.
The estimated average daily consumption during	the month of maximum use at the end of each five-year period until the full
mount applied for is put to beneficial use is as fo	follows:
<u> </u>	
en e	
	en agrecia de la Martina de la Regiona de la Martina d La Martina de la Martina d
16. Mining Use. The name of the mining pro	operty to be served is
and t	the nature of the mines is
he method of utilizing the water is	
is estimated that the ultimate water requiremen	nt for this project will be
	Cubic feet per second, gallons per minute. State basis or estimate
	Explain nature of pollution, if any
nd it will not be returned to	inof
ec, T, R	,
17. Other Uses. The nature of the use prop	posed is recreational
	Industrial, recreational, domestic, stockwatering, fish culture, etc.
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
	General
18. Are the maps as required by the Rules and	d Regulations filed with Application? Yes If not,
	e
19. Does the applicant own the land at the pro	oposed point of diversion? No . If not, give name and
	taken to secure right of access thereto. See paragraph 11
	The contraction of ${f C}_{1}$ , which is the contraction of ${f C}_{2}$ , which is the contraction of ${f C}_{2}$ . The contraction of ${f C}_{2}$
	sed by those living near the proposed point of diversion?
Auburn, California	<u>and the state of </u>
	imants of water from the source of supply below the proposed point of
	of Reclamation
	amento
Others not kn	nown

Paragraph 11 - Place of Use

Ref.	Name of Powerplant	L O C A	TION Section	(Mount Diablo Township	B & M Range	
3	French Meadows	NE of SE	9	14N	14E	
5	Middle Fork	NW of NW	<b>3</b> 6	14n	12E	
6	Ralston	NW of SW	2	13N	11E	
6	Oxbow (Regulator)	NW of NW	3	13N	112	

#### Paragraph 14 - Power Use\*\*

Ref.	Name of Powerplant	Total Fall (feet)	Amount of Water c.f.s.	Maximum Theoretical H.P.	Nature of Works to Develop Power
3	French Meadows	655	400	29,775*	Reaction Turbine
5	Middle Fork	<b>2,09</b> 6	8 <b>30</b>	197,690###	Impulse Turbine**
6	Ralston	1,369	8 <b>30</b>	128,650	Impulse Turbine**
6	Oxbow (Regulator)	85	1930	18,642	Variable Pitch
				374,755	Reaction

<sup>\*</sup> Fall and c.f.s. are not simultaneous, therefore this is a distorted value.

<sup>\*\*</sup> Designs not sufficiently developed to select nozzle sizes, combinations, etc.

<sup>\*\*\*</sup> Former Hell Hole and Middle Fork combining 56,365 + 141,307 = 197,672.

Supplement to Application 18086

Paragraphs 8(a) and 9 - Conduit System and Capacities

FROM	70	Distance Miles	Section	Size (feet)	Туре	Slope (Invert Gradient)	Capacity	•
Duncan Creek Diversion Duncan Creek	French Meadows Res M.F. American River	1.49	Tunnel Horseshoe (unlined)	9x10	Flowline	9T00.0	90 <del>4</del>	
French Meadows Res. M.F. American River	French Meadows P. P. Rubicon River	2.78	Tunnel Horseshoe (unlined)	12.5x12.5	Pressure	0.0040	400	
Hell Hole Reservoir Rubicon River	Long Canyon Diversion S. F. Long Canyon	3.29	Tunnel Horseshoe (unlined)	13.25x13.25	Pressure	0.0045	830	
Long Canyon Diversion S.F. Long Canyon	Long Canyon Diversion N.F. Long Canyon	0.59	Tunnel Horseshoe (unlined)	13.25x13.25	Pressure	0.0045	830	
Long Canyon Diversion H.F. Long Canyon	M.F. Power Plant M.F. American River	6.54	Tunnel Horseshoe (unlined)	13.25x13.25	Pressure	0.0045	830	
Raiston Interbay	Ralston Power Plant Rubicon River	1.56	Tunnel Horseshoe Horseshoe	13.25x13.25 10.58x11.42	Pressure Pressure	0.0060	830	•
M.F. American River	M.F. American River	0.27	Tunnel Horseshoe	16.0x16.0	Pressure		1930	. •

Supplement to Application 18086

## Paragraph 7 - Storage Reservoirs

Ref.	Stream	Reservoir	Flood Lands in	Surface Area Acres	Capacity Acre-feet
	M.F. American River	French Meadows	See Map	1418	133,700
	Rubicon River	Hell Hole	See Map	1245	208,400

Supplement to Application 18086

Paragraph 6 - Intake or Headworks

Ref. No.	Stream	Name of Dam		Dimensi	ons (feet)	
			Height	Length	Freeboard	Material
	Par - 6(b) - Diversi	on Dems				
L	Duncan Creek	Duncan Creek Diversion	32	<b>1</b> 88	10	Concrete
le.	S.F. Long Canyon	Long Canyon Diversion	37	230	7.5	Concrete
4b	N.F. Long Canyon	Long Canyon Diversion	13	154	5	Concrete
5	M.F. American River	Ralston Interbay	75	212	10	Concrete
5	M. F. American River	Ralston Afterbay	90	500	5	Gravel Fill
	Par - 6 (c) - Storage	Dams				
2	M.F. American River	French Meadows*	<b>22</b> 8	2700	5	Composite
5	Rubicon River	Hell Hole	410	1570	20	Rockfill
	* Also serves as Dive	rting Dam				

## Supplement to Application 18086

## Paragraph 4 - Points of Diversion

de.				L	OCATI	ON		
Ref No.		Diversion Zone 2	Call: Grid	fornia Coordinates E	'Quarters	Sec .	TN	RE
1 2 3 4 4 5 6	Duncan Creek M.F. American R. Rubicon River S.F. Long Canyon N.F. Long Canyon M.F. American R. M.F. American R.	Duncan Creek French Meadows Hell Hole Long Canyon Long Canyon Ralston Interbay Ralston Afterbay	538,130 530,100 510,750 507,675 506,970 498,137 490,160	2,452,000 2,434,250 2,431,250 2,397,300	NW of SW NW of NE SW of NE NW of SW NW of NE NW of NW	24 36 16 24 24 35 3	15 15 14 14 14 14 13	15 14 13 15 15 12
**************************************	Par. 4 - Points of	Re-diversion						
2 3 5 6	M.F. American R. Rubicon River M.F. American R. M.F. American R.	French Meadows Hell Hole Ralston Interbay Ralston Afterbay	530,100 510,750 498,137 490,160		NW of NE SW of SE NW of NE NW of NW	36 16 35 3	15 14 14 13	15 14 12 11

Supplement to Application 18086

Paragraph 2 (a) and (b) - Amount of Water

	Stream	Structure	For Diversion to be directly applied to beneficial use Cubic feet per sec	For Diversion to be stored and later applied to beneficial use Acre-feet per annum	Name of Reservoir where water will be stored
1	Duncan Creek	Duncan Cr. Divers	ion 50		French Meadows
2	M. F. American R.	French Meadows Dam and Reservoir	110	10,000	French Meadows
3	Rubicon River	Hell Hole Dam and Reservoir	155	36,000	Hell Hole
4 <b>a</b>	S.F. Long Canyon	South Long Canyon Diversion	None	13,000 <sup>2</sup>	Hell Hole
46	N.F. Long Canyon	North Long Canyon Diversion	None	7,000 <sup>2</sup>	Hell Hole
6	M.F. American R.	Ralston Afterbay Dam and Reservoir	705	See Note 3	

<sup>2</sup> Maximum rate of diversion to storage, 830 cubic feet per second from Long Canyon from South and North Forks.

Water diverted from upper sources comingles with and included in the diversions from lower sources. Maximum to be taken from each source at any particular time will not exceed the amounts shown and the amounts shown (except No. 1 and No. 4) May include up to the full amount of the preceeding diversion.

<sup>7</sup> This is a reregulating reservoir- water will be stored and released on daily and weekly schedules.

#### Supplement to Application 18086

#### Paragraph 1 - Sources of Appropriation

(1) Duncan Creek

(2) Middle Fork, American River

(3) Rubicon River

(4a) South Fork, Long Canyon

(4b) North Fork, Long Canyon

(5) Middle Fork, American River

(6) Middle Fork, American River

- (4a) is tributary to (3)
- (4b) is tributary to (4a)
- (1) and (3) are tributary to (2) or (5)
- (5) and (6) are tributary to the North Fork, American River thence the American River.